

Figure 1A




Figure 1B




Figure 1C

Figure 2 A




Figure 2B




Figure 2C





Figure 2D






Figure 2E




Figure 2F

Figure 3A





Figure 3B

HCT116







Figure 4A



+250ng/ml CH-11 $0\mu M$ 5μM 5-FU Figure 4C FL64 **EV68** FL64 **EV68** c-FLIP_L Procaspase 8 **PARP**




Figure 5A




Figure 5B




Figure 5C









Figure 5D


















Figure 8C

Figure 9A

Figure 9B





OXA(µM)


Fas [β-tubulin [

PCT/GB2004/005006













■ 0.1nM FT siRNA
■ 0.5nM FT siRNA
■ 1nM FT siRNA

























Figure 13A





















Figure 16




10nM siRNA
SC FL
c-FLIP
C-FLIPs
PARP

3-tubulin

⋖

1.25 1.00 0.50 0.25 8 8 8 8 0.00 1 2 3 4 5

□ 0.2nM FL siRNA△ 1nM FL siRNA○ 2nM FL siRNA






Figure 16C

Figure 17A

Figure 17B




Figure 17C

Figure 17D

Figure 18A




Figure 18 E

	p53 wil	p53 wild-type	<u>p53</u>	p53 null
СН-11	ľ	+	•	+
Con	8±2.6 %	32±4.9%	5±2.1 %	11±3.3 %
SFU	31±7.3 %	%6 + 9L	7 ±1.8%	18±4.5%
XQL	18±3.8%	57±8.4%	15±5.3%	40±4.4%
CPT-11	25±6.8%	52±9%	19±6.7%	57±8.9 %
0x	36±7.5 %	66±9.2%	12±3.6%	17±5.1%




Figure 19